


# LEADERS

— IN QUALITY —

# LEADERS

IN DEPENDABILITY



## Residential & Commercial

Flame Retardant (FR) PVC Insulated  
Industrial Cables  
Flamegard - Flame Retardant Low Smoke  
(FR-LSH) Industrial Cables  
Halogard - Halogen Free Flame Retardant  
(HFFR) Industrial Cables  
Flexible Cables Single Core

## Communication Cables

Co-axial Cables  
Telephone Cables  
CCTV Cables  
Speaker Cables  
LAN Cables  
Optic Fibre Cables (HSN - 9001)


## Agriculture

3 Core Flat Cables  
PVC Insulated Winding Wires

## Automobile/Solar Power

Auto Cables  
Solar Cables

(HSN Code : 8544)



# Residential & Commercial



List Price wef.  
22 May 2023



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables

# Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 22 May 2023

## FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

### GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,115	20
10303	1.00	1,545	20
10304	1.50	2,255	12
10305	2.50	3,585	12
10306	4.00	5,225	8
10307	6.00	7,805	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,080	20
10313	1.00	1,390	20
10314	1.50	2,025	12
10315	2.50	3,245	12
10316	4.00	4,980	8
10317	6.00	7,470	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,720	8
10314	1.50	3,975	6
10315	2.50	6,405	4
10306016	4.00	9,850	4
10307016	6.00	14,775	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	680	30
10314	1.50	995	24
10315	2.50	1,600	24
10316	4.00	2,465	12
10317	6.00	3,695	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 22 May 2023

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

### FINOLEX FLAME RETARDANT (FR-LSH) PVC INSULATED INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,405	20
10114	1.50	2,045	12
10115	2.50	3,280	12
10106	4.00	5,030	8
10107	6.00	7,545	4

### FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,750	8
10114016	1.50	4,015	6
10115016	2.50	6,470	4
10106016	4.00	9,950	4
10107016	6.00	14,925	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	690	30
10114	1.50	1,005	24
10115	2.50	1,620	24
10106	4.00	2,490	12
10107	6.00	3,730	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.  
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 22 May 2023

**HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES**  
**FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V**

**HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES**

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,575	20
10404	1.50	2,265	12
10405	2.50	3,675	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,270	8
10407	6.00	7,790	4

**HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING**

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,670	270	8
10404010	1.50	6,760	270	6
10405010	2.50	10,970	270	4
10406016	4.00	10,520	180	4
10407016	6.00	15,560	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.  
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# Flexible Cables



**FLEXIBLE CABLES - SINGLE CORE**  
**FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.**

**SINGLE CORE (Unsheathed):** Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14001	0.50	800
14002	0.75	1,170
14003	1.00	1,510

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14104	1.50	2,210
14105	2.50	3,560
14206	4.00	5,470



## SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	8,210
14208	10	14,320
14209	16	22,245
14210	25	34,770
14211	35	48,540
14212	50	68,825

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	1,00,270
14514	95*	1,32,645
14515	120*	1,70,335
14516	150*	2,10,955
14517	185*	2,60,710
14518	240*	3,42,750

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

## FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

## TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,260
17002	0.75	3,065
17002	1.00	3,785

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,060
17102	2.50	8,140
17202	4.00	12,665

## THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	2,985
17003	0.75	4,105
17003	1.00	5,160

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	7,085
17103	2.50	11,305
17203	4.00	17,825

## FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	3,770
17004	0.75	5,200
17004	1.00	6,610

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	9,265
17104	2.50	14,905
17204	4.00	23,425

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES\*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

## SIX CORE\* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	5,555
17006	0.75	7,910
17006	1.00	9,930

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	13,910
17106	2.50	22,435
17206	4.00	35,445

## SEVEN CORES (1+6)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	6,470
17008	0.75	9,030
17008	1.00	11,475

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	16,145
17107	2.50	26,010
17207	4.00	40,905

## EIGHT CORES\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,270
17008	0.75	10,190
17008	1.00	12,925

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	18,360
17108	2.50	29,660
17208	4.00	46,555

## TEN CORES (2+8)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	8,785
17010	0.75	12,545
17010	1.00	15,955

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	22,520
17110	2.50	36,495
17210	4.00	57,655

## TWELVE CORES (3+9)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	10,370
17012	0.75	14,845
17012	1.00	18,925

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	26,745
17112	2.50	43,710
17212	4.00	68,760

**FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.**

## FOURTEEN CORES: (4+10)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	12,100
17014	0.75	17,150
17014	1.00	21,905

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	31,250
17114	2.50	50,895
17214	4.00	79,765

## SIXTEEN CORES (8 +11)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	13,705
17016	0.75	19,640
17016	1.00	25,070

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	35,535
17116	2.50	57,915
17216	4.00	91,290

## NINETEEN CORES (1+6 + 12)\*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	16,000
17019	0.75	22,990
17019	1.00	29,615

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	41,955
17119	2.50	67,995
17219	4.00	1,07,630

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

## FLEXIBLE CABLES - MULTICORE HEAVY DUTY

**FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010**

### 3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	26,370
17203084	10	45,105
17203094	16*	69,810
17203104	25*	1,07,650
17203114	35*	1,50,835

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	2,16,610
17503134	70*	3,05,020
17503144	95*	4,02,695
17503154	120*	5,37,985

### 4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	34,495
17204084	10	58,795
17204094	16*	90,700
17204104	25*	1,42,305
17204114	35*	1,98,640

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	2,82,975
17504134	70*	4,02,655
17504144	95*	5,32,760
17504154	120*	6,95,480

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



# Communication Cables



List Price wef. 22 May 2023



High grade  
99.97% pure bare  
copper conductor



Abrasion resistant  
grade sheath  
material



Long life &  
highly durable  
cables



# Coaxial Cables – Jelly



List Price wef. 22 May 2023

## COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,605	4895
RG 6 CU	2,235	6817
RG 11 CU	5,070	15,464

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,440	4,392
RG 11 CCS	2,900	8,845

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	2,985	9,104

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

# CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,880
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	9,760
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,140
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,641
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,640
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,336
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,855
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,660
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,070
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,085

# Telephone Cable



## TELEPHONE CABLES

**FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.**

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	740
31050023	2 pair	1,315
31050033	3 pair	1,945
31050043	4 pair	2,560
31050053	5 pair	3,190

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,190
31050203	2D pair	11,795
31050503	50 pair	28,905
31051001	100 pair	56,345

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

**Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.**

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	525
31040023	2 pair	920
31040033	3 pair	1,360
31040043	4 pair	1,750
31040053	5 pair	2,150

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,325
31040203	20 pair	8,120
31040503	50 pair	19,635
31041001	100 pair	37,570


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

**A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.**

# LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	8,150
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,050
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,050
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,050
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,050
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,645
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,235
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	4,285
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	14,059
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	305 Mtr	3295
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	12,872
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	16,854




## Speaker Cable

List Price wef. 22 May 2023

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0,5 SQMM [Transparent]	6	100 Mtr	1,655
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,400
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	2,965
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,400
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	6,830
60329024	Speaker Cable 2.5 SQMM [Transperant]100M	6	100 Mtr	7,310
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	415
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	600
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	740
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,100

PACKING : Available in 100 M coils AND 25 M coil



# Agriculture



List Price wef. 22 May 2023



**High grade**  
99.97% pure bare  
copper conductor




**Abrasion resistant**  
grade sheath  
material



**Long life &**  
highly durable  
cables

# 3 Core Flat Cable



List Price wef. 22 May 2023

## 3 CORE FLAT CABLE

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7,370
13713051	2.50	11,685
13703061	4.00	17,180
13803071	6.00	25,350
13803081	10.00	44,050
13803091	16.00	68,120

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,06,525
13803111	35.00	1,47,435
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

**FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	7,740
13863059	2.50	12,275

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	18,045

**FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	26,615
13823089	10.00	46,255
13823099	16.00	71,530

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,11,855
13823119	35.00	1,54,810

## 3 CORE FLAT CCA CABLES

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	14,630
13853089	14	140/.36	24,160
13853099	23	226/.36	37,775

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	54,940
13853119	50	594/.36	75,450

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



# PVC Insulated Winding Wires




List Price wef. 22 May 2023

## PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS  
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	465	1000	6
13000602	0.60	465	500	6
13000701	0.70	630	1000	6
13000702	0.70	630	500	6
13000801	0.80	815	1000	6
13000802	0.80	815	500	6
13000901	0.90	1,020	1000	5
13000902	0.90	1,020	500	6
13001001	1.00	1,250	1000	5
13001002	1.00	1,250	500	6
13001101	1.10	1,510	1000	4
13001102	1.10	1,510	500	6
13001201	1.20	1,785	1000	4
13001202	1.20	1,785	500	6
13001301	1.30	2,090	1000	3
13001302	1.30	2,090	500	6
13001402	1.40	2,430	500	5
13001502	1.50	2,780	500	5
13001602	1.60	3,155	500	4
13001702	1.70	3,555	500	4
13001802	1.80	3,985	500	4
13001902	1.90	4,435	500	3
13002002	2.00	4,945	500	3
13002102	2.10	5,440	500	3
13002202	2.20	5,955	500	2
13002302	2.30	6,500	500	2
13002402	2.40	7,085	500	2
13002502	2.50	7,680	500	2
13002602	2.60	8,300	500	2
13002702	2.70	8,930	500	2
13002804	2.80*	9,625	250	3
13003004	3.00*	11,025	250	2

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.  
PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



# Automobile / Solar Power



List Price wef. 22 May 2023



**High thermal rating to withstand extreme temperatures**



**Excellent resistant to heat pressure**



**Long life & highly durable cables**



# Auto Battery Cables

List Price wef. 22 May 2023

## AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area [sq.mm.]	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,560	22,245
22210	354/.3	25	8,695	34,770
22211	495/.3	35	12,135	48,540
22212	703/.3	50	17,205	68,825
22513	360/.5	70	25,070	1,00,270
22514	475/.5 *	95	33,160	1,32,645
22515	608/.5 *	120	42,585	1,70,335
22516	750/.5 *	150	52,740	2,10,955
22517	925/.5 *	185	65,180	2,60,710
22518	1221/.5 *	240	85,685	3,42,750

## PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area [sq.mm.]	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	795	3,180

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area [sq.mm.]	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	195	765
2302	24/.21	0.75	290	1,145
2303	32/.21	1.00	380	1,520
2304	30/.26	1.50	560	2,230
2305	50/.26	2.50	925	3,695
2306	56/.31	4.00	1,535	6,130
2307	84/.31	6.00	2,275	9,090

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

# Solar Cables

List Price wef. 22 May 2023

## SOLAR DC CABLE

**FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007**

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,660	STANDARD LENGTH OF 500 MTR
16907011	6	10,715	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: [www.finolex.com](http://www.finolex.com) |  /Finolexcables |  /Finolexcables |  /Finolex.Cables



**AN IS/ISO 9001:2015 CERTIFIED COMPANY**


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.  
 Tel: 020-27506200 | Fax: 020-27472239  
 Visit us at: [www.finolex.com](http://www.finolex.com) | Email: [sales@finolex.com](mailto:sales@finolex.com)  
 CIN: L31300MH1967PLC016531

**Finolex gets people together**

For technical literature please contact our Branch Offices:

**Ahmedabad:** 7926584637 / 26575639 | **Bengaluru:** 7022979589 |  
**Bhubaneswar:** 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /  
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |  
**Coimbatore:** 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /  
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423  
**Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /  
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**  
**Delhi:** 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**  
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |  
**Secunderabad:** 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**  
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.

