



www.yogirajelectricals.in

YOGIRAJ ELECTRICALS



About Us

We Yogiraj Electricals established in the Year 2014, at Pune, Maharashtra. Yogiraj Electricals has strived to create High quality products and bring them to market. Today we are one of the leading suppliers of Electrical Market various assembly and sub-assemblies to National and Multi-national companies. Quality and service is the first and foremost.

We Supply Wires & Cables, Lugs and all Panel Accessories. We also provide service at your Doorsteps. Yogiraj Electricals are committed to building our businesses through integrity and innovation, with the dreams of land mark achievements in the field of electrical goods trading in the very fast developing city like Pune.



AUTHORIZED CHANNEL PARTNER

**FINOLEX CABLES LTD., IGI UNINYVIN CABLE, UL GROUP,
POLYCAB WIRES & CABLES, MG ELECTRICA, MIRACLE CABLES**

**ALL OF ELECTRICAL RELATED PRODUCT
ARE AVAILABLE !!**

**POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES
FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT
RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-
694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE
GRADE 1100 VOLTS**

**POLYCAB PVC INSULATED SINGLE CORE
UNSHEATHED INDUSTRIAL(MULTISTRAND)
CABLES – HALOGEN FREE FLAME RETARDANT
(HFFR) WITH BRIGHT ANNEALED
ELECTROLYTIC BARE COPPER CONDUCTOR FOR
VOLTAGE GRADE 1100 VOLTS**

Size (sq.mm.)	FRLF	FRLS-H	GREEN WIRES HR-FRLS-H-LF	HFFR	Coils Per Box
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	
0.75	4500	4640	4710	4880	10
1	5905	6075	6165	6330	8
1.5	8685	8940	9065	9335	6
2.5	14090	14520	14730	15155	4
4	14415	14855	15065	15510	4
6	21565	22220	22540	23195	3
10	37975	39090	39660	40790	1
16	59605	61370	62255	64045	1

Notes

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8600	10300	12700	14900
0.75	24/.2	8	12300	14500	18000	21200
1	32/.2	13	15800	18600	23000	27200
1.5	30/.25	17	22100	25500	32200	38100
2.5	50/.25	24	36000	42800	52900	63600
4	56/.3	30	59600			

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	17200	19500	22700	28600
0.75	24/.2	8	24600	28000	32900	41200
1	32/.2	13	31800	36300	42500	53400
1.5	30/.25	17	44700	51700	60300	77100
2.5	50/.25	24	73500	84100	97600	126000

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area	No/Dia of Strands	Current rating in Air at40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
mm ²	No/mm		Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	16000	21700
10	80/0.4	75	26800	36500
16	126/0.4	103	39700	46300
25	196/0.4	126	63400	70700
35	276/0.4	152	86900	95400
50	396/0.4	189	121300	132900
70	354/0.5	240	166700	182900
95	484/0.5	297	226500	235800
120	608/0.5	346	286300	297900
150	750/0.5	390	357600	372500
185	925/0.5	460	436600	449700
240	1210/0.5	552	567500	592200
300	1527/0.5	640	707400	744700
400	2036/0.5	753	943600	987600

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	8800	10500	12900	15200
0.75	24/.2	8	12500	14700	18400	21600
1	32/.2	13	16200	18900	23500	27700
1.5	30/.25	17	22450	26000	32900	38800
2.5	50/.25	24	36750	43800	53900	64800
4	56/.3	30	60800			
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	17500	19900	23100	29200
0.75	24/.2	8	25200	28400	33600	42100
1	32/.2	13	32400	36900	43500	54600
1.5	30/.25	17	45700	52700	61500	78600
2.5	50/.25	24	75000	85800	99500	128600

WE ALSO DEAL IN FOLLOWING BRANDS

HICOOL
Air Misting Products

minilec

SELEC
Creating Best Value

JG JIGO
JIGO

TEKNIC

MULTISPAN

connectwell
The Right Connection

salzer

steelgrip

NHP

ALL PANEL ACCESSORIES

KSS CABLE TIE, JIGO CABLE TIE & LAMP, POW-ERON CT, GLAND, ELECTRO FILTER, INSULATOR, L SUPPORT, GASKET, IDEAL LAMP, OMRON RELAYS MY2 & MY4, PANEL LOCK & KEY, STEELGRIP TAPE, PANEL LED TUBELIGHT, DOOR LIMIT S/W, ANCHOR S.S COM., SUPAFLEX LUGS, FAN GRILL, RELAY BASE, SPIRAL SLEEVE 6MM/9MM

CONTACT US



OFFICE ADDRESS:- Office no.103, First Floor, D-2 Building Sunder Samruddhi, Dhayari Narnhe Road, Dhayari, Pune- 411041.




Godown ADDRESS:- Shop no.-15, Swapnasagar Society, Benkar wasti, Dhayari Pune- 41.

+91 7385996760 | +91 7387317499



yogirajelectricals2014@gmail.com
Info@yogirajelectricals.in

SCAN TO VISIT OUR WEBSITE



www.yogirajelectricals.in