


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)

Finolex



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

List Price wef. 02 Dec 2025

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES			
FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UP TO 1100V AS PER IS 17048: 2018			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10452	0.75	1,635	20
10453	1.0	2,090	20
10454	1.5	3,100	12
10455	2.5	4,955	12
10456	4.0	7,445	8
10457	6.0	10,975	4

Flame Retardant (FR) PVC Insulated Industrial Cables

GOLD PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES			
FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010			
Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,545	20
10303	1.0	2,130	20
10304	1.5	3,120	12
10305	2.5	4,945	12
10306	4.0	7,220	8
10307	6.0	10,790	4

Flame Retardant (FR) PVC Insulated Industrial Cables

SILVER PACK



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,485	20
10303	1.0	1,915	20
10304	1.5	2,785	12
10305	2.5	4,505	12
10306	4.0	6,960	8
10307	6.0	10,415	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10312016	0.75	2,840	8
10313	1.0	3,680	8
10314	1.5	5,375	6
10315	2.5	8,735	4
10306016	4.0	13,540	4
10307016	6.0	20,370	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.0	950	30
10314	1.5	1,390	24
10315	2.5	2,255	24
10316	4.0	3,505	12
10317	6.0	5,265	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 300 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 300 m coil (Rs.)	No. of Coils packed in a Master Carton
10312017	0.75	4735	8
10313017	1.0	6135	6
10314017	1.5	8960	6
10315017	2.5	14560	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 200 PACKING			
Product Code	Conductor Area (sq.mm.)	List Price per 200 m coil (Rs.)	No. of Coils packed in a Master Carton
10306015	4.0	15,045	4
10307015	6.0	22,635	4

List Price wef. 02 Dec 2025



Flamegard Flame Retardant Low Smoke(FR-LSH)



FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10112013	0.75	1,520	20
10113	1.0	1,970	20
10114	1.5	2,860	12
10115	2.5	4,585	12
10106	4.0	7,125	8
10107	6.0	10,660	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil (Rs.)	No. of Coils packed in a Master Carton
10112016	0.75	2,870	8
10113016	1.0	3,720	8
10114016	1.5	5,430	6
10115016	2.5	8,820	4
10106016	4.0	13,680	4
10107016	6.0	20,565	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

List Price wef. 02 Dec 2025

Halogen Free Flame Retardant (HFFR) Industrial Cables



HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES
IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,560	20
10403	1.0	2,010	20
10404	1.5	2,925	12
10405	2.5	4,730	12
10406	4.0	7,300	8
10407	6.0	10,920	4



Flexible Cables

List Price wef. 02 Dec 2025

FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	1,115	1,170
14002	0.75	1,605	1,685
14003	1.00	2,080	2,185
14104	1.50	3,040	3,190
14105	2.50	4,945	5,190
14206	4.00	7,655	8,040

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	11,475	12,050
14208	10	19,890	20,885
14209	16	30,290	31,805
14210	25	47,345	49,710
14211	35	66,090	69,395
14212	50	93,705	98,390
14513	70	1,36,465	1,43,290
14514	95*	1,80,545	1,89,570
14515	120*	2,31,845	2,43,435
14516	150*	2,87,120	3,01,475
14517	185*	3,54,800	3,72,540
14518	240*	4,66,415	4,89,735

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE							
FINOLEX PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010							
TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17002	0.50	2,745	3090	17102	1.5	6,505	6955
17002	0.75	3,800	4195	17102	2.5	10,565	11195
17002	1.00	4,740	5195	17202	4	16,535	17445

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17003	0.50	3,735	4075	17103	1.5	9,270	9725
17003	0.75	5,215	5605	17103	2.5	14,935	15530
17003	1.00	6,630	7070	17203	4	23,685	24520

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17004	0.50	4,780	5,130	17104	1.5	12,185	12,705
17004	0.75	6,700	7,090	17104	2.5	19,815	20,465
17004	1.00	8,575	9,045	17204	4	31,290	32,205

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17006	0.50	7,150	7555	17106	1.5	18,445	19070
17006	0.75	10,175	10785	17106	2.5	29,820	30800
17006	1.00	13,055	13575	17206	4	47,375	48715

SEVEN CORES (1+6)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	8,365	8770	17108	1.50	21,350	22120
17008	0.75	11,775	12300	17108	2.50	34,860	35660
17008	1.00	15,090	15680	17208	4.00	54,890	56190

EIGHT CORES*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17008	0.50	9,370	9880	17108	1.50	24,465	25150
17008	0.75	13,305	13875	17108	2.50	39,600	40650
17008	1.00	17,090	17655	17208	4.00	62,625	63920

TEN CORES (2+8)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17010	0.50	11,450	11,920	17110	1.50	30,145	30840
17010	0.75	16,485	17,075	17110	2.50	49,130	50020
17010	1.00	21,155	21,785	17210	4.00	77,775	79165

TWELVE CORES (3+9)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17012	0.50	13,545	14,065	17112	1.50	35,870	36620
17012	0.75	19,555	20,195	17112	2.50	58,655	59960
17012	1.00	25,145	25,835	17212	4.00	92,935	94400

FOURTEEN CORES (4+10)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17014	0.50	15,615	16,400	17114	1.50	41,875	42750
17014	0.75	22,460	23,310	17114	2.50	68,370	69715
17014	1.00	29,165	29,875	17214	4.00	1,08,010	109495

SIXTEEN CORES (8+11)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17016	0.50	17,870	18,585	17116	1.50	47,540	48640
17016	0.75	25,695	26,710	17116	2.50	77,895	79360
17016	1.00	33,175	34,215	17216	4.00	1,23,560	125320

NINETEEN CORES (1+6+12)*							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17019	0.50	20,910	21,665	17119	1.5	56,225	57420
17019	0.75	30,390	31,235	17119	2.5	91,760	93200
17019	1.00	39,260	40,395	17219	4	1,46,005	147725


Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY	
FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010	

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17203074	6	35,285	36,325	17203124	50*	2,93,095	299450
17203084	10	60,420	62,165	17503134	70*	4,15,470	421900
17203094	16*	94,220	96,400	17503144	95*	5,48,370	557110
17203104	25*	1,45,820	1,48,660	17503154	120*	7,32,490	744705
17203114	35*	2,04,575	2,08,465				

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)							
Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)	Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
17204074	6	46,370	47,495	17204124	50*	3,85,400	391050
17204084	10	79,360	80,990	17504134	70*	5,50,215	556870
17204094	16*	1,23,105	1,25,200	17504144	95*	7,27,315	736960
17204104	25*	1,93,290	1,96,485	17504154	120*	9,50,695	961785
17204114	35*	2,70,480	2,74,475				

Note: The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packaging: Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

COAXIAL CABLES - JELLY



COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum	Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated Aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.
	List Price (Rs.)	List Price (Rs.)	
RG 59 CU	1,950	5,948	
RG 6 CU	2,765	8,433	
RG 11 CU	6,375	19,444	

Type	100 m coil	305 m drum	Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black colour.
	List Price (Rs.)	List Price (Rs.)	
RG 6 CCS	1,615	4,926	
RG 11 CCS	3,270	9,974	

Type	90 m coil		Finolex Coaxial Cables with copper clad steel conductor (RG CCS Eco Lite), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jellyflooded 1 and PVC Jacketing in Black
	List Price (Rs.)		
RG 6 CCS Eco Lite	1,070		

Type	100 m coil	305 m drum	Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.
	List Price (Rs.)	List Price (Rs.)	
RG 11 CCA	3,710	11316	



CCTV Cable

Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,560
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	12,064
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,935
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,335
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	4,565
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	15,470
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	2,035
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,990
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	2,285
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	4,510
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,335
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,585
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,595
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	5,125

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	975	31050103	10 pair	8,420
31050023	2 pair	1,745	31050203	20 pair	16,380
31050033	3 pair	2,560	31050503	50 pair	38,800
31050043	4 pair	3,380	31051001	100 pair	75,720
31050053	5 pair	4,210			

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen

Product Code	Type	LP Per 90Mtr (Rs.)	Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	675	31040103	10 pair	5,805
31040023	2 pair	1,220	31040203	20 pair	10,880
31040033	3 pair	1,770	31040503	50 pair	26,385
31040043	4 pair	2,290	31041001	100 pair	50,985
31040053	5 pair	2,820			

Standard Length of coif is 90 Meters. | Standard Length of the drum is 500m +/-10%


A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

List Price wef. 02 Dec 2025



LAN Cable


Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	10,975
32255042	0.5x4P UTP CAT-6 LAN *YLW * 305M	305 Mtr	13,590
32245042	0.5x4P UTP CAT-6 LAN *GRY * 305M	305 Mtr	13,590
32275042	0.5x4P UTP CAT-6 LAN *BLU * 305M	305 Mtr	13,590
32265042	0.5x4P UTP CAT-6 LAN *GRN * 305M	305 Mtr	13,590
32925048	0.5x4 Pair CAT-5 (E) CCA LAN Cable	305 Mtr	7,085
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	4,300
32955048	0.5x4P UTP CAT-6 CCA LAN 305 Mtr	305 Mtr	9,110
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	18,940
32245044	0.5 x4P CAT6 LAN GRY 100M X 2	100 Mtr	4,225
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	16,410
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	22,060
32245142	4P CAT6 LITE LAN GRY 305M X 2	305 Mtr	12,886
32255142	4P CAT6 LITE LAN YLW 305M X 2	305 Mtr	12,886
32265142	4P CAT6 LITE LAN GRN 305M X 2	305 Mtr	12,886
32275142	4P CAT6 LITE LAN BLU 305M X 2	305 Mtr	12,886



Speaker Cable

List Price wef. 02 Dec 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	2,165
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	3,150
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,865
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	5,880
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	9,165
60329024	Speaker Cable 2.5 SQMM (Transperant)100M	6	100 Mtr	9,765
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	540
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	790
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	965
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,470



Agriculture



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE							
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13713041	1.5	9650	13803101	25	142735		
13713051	2.5	15095	13803111	35	198150		
13703061	4	22860	13803121*	50	Prices for these sizes can be given on request.		
13803071	6	33645	13803131*	70			
13803081	10	58045	13803141*	95			
13803091	16	91260					
FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13863049	1.5	10135	13823069	4	24005		
13863059	2.5	15850					
FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	LP Per 100 Mtr (Rs.)		
13823079	6	35325	13823109	25	149870		
13823089	10	60945	13823119	35	208060		
13823099	16	95825					
3 CORE FLAT CCA CABLES							
FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS							
Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)	Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	20935	13853109	36	354/.36	81530
13853089	14	140/.36	34880	13853119	50	594/.36	113145
13853099	23	226/.36	55360				

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us.

We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires

List Price wef. 02 Dec 2025




PVC INSULATED WINDING WIRES				
FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995				
Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	610	1000	6
13000602	0.60	610	500	6
13000701	0.70	830	1000	6
13000702	0.70	830	500	6
13000801	0.80	1,075	1000	6
13000802	0.80	1,075	500	6
13000901	0.90	1,350	1000	5
13000902	0.90	1,350	500	6
13001001	1.00	1,660	1000	5
13001002	1.00	1,660	500	6
13001101	1.10	2,000	1000	4
13001102	1.10	2,000	500	6
13001201	1.20	2,370	1000	4
13001202	1.20	2,370	500	6
13001301	1.30	2,775	1000	3
13001302	1.30	2,775	500	6
13001402	1.40	3,220	500	5
13001502	1.50	3,690	500	5
13001602	1.60	4,185	500	4
13001702	1.70	4,795	500	4
13001802	1.80	5,400	500	4
13001902	1.90	5,955	500	3
13002002	2.00	6,670	500	3
13002102	2.10	7,305	500	3
13002202	2.20	7,995	500	2
13002302	2.30	8,720	500	2
13002402	2.40	9,490	500	2
13002502	2.50	10,315	500	2
13002602	2.60	11,135	500	2
13002702	2.70	12,005	500	2
13002804	2.80*	12,795	250	2
13003004	3.00*	14,665	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

Finolex



Automobile / Solar Power



High thermal rating
to withstand
extreme temperatures



Excellent
resistant to
heat pressure



Long life &
highly durable
cables

Auto Battery Cables

List Price wef. 02 Dec 2025



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	7,495	29,975
22210	354/.3	25	11,720	46,875
22211	495/.3	35	16,375	65,505
22212	703/.3	50	23,220	92,885
22513	360/.5	70	33,880	1,35,515
22514	475/.5.*	95	44,790	1,79,160
22515	608/.5.*	120	57,545	2,30,185
22516	750/.5.*	150	71,270	2,85,080
22517	925/.5.*	185	88,110	3,52,445
22518	1221/.5.*	240	1,15,880	4,63,530

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	940	3,765

1050 CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILECABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Constructin	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	255	1,020
2302	24/.21	0.75	385	1,530
2303	32/.21	1.00	510	2,035
2304	30/.26	1.50	750	2,995
2305	50/.26	2.50	1,245	4,970
2306	56/.31	4.00	2,065	8,240
2307	84/.31	6.00	3,065	12,250

Solar Cables

List Price wef. 02 Dec 2025



SOLAR DC CABLE		
FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.		
**Product Code	Material Description	List Price per 100m (Rs.)
16905018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M RED	4,830
16995018	50/0.25 ATC 2.5 Solar Cable Ebeam 500M Black	4,830
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	7,090
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	7,090
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	10,415
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	10,415

Solar Nova		
**Product Code	Material Description	List Price per 100m (Rs.)
16985014	ATC 2.5 SOLAR NOVA EBEAM100MBLK	4,680
16986014	ATC 4.0 SOLAR NOVA EBEAM 100MBLK	6,780
16987014	ATC 6.0 SOLAR NOVA EBEAM 100M BLK	10,250
	ATC 10.0 SOLAR NOVA EBEAM 100M BLK	18,700

NOTES

- Prices: GST extra as applicable.
- Printing: Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
- Delivery: F.O.R. any station in India by road transport.
- Product Code: The full product code is of 8 digits. For example :
 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m
 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.
 a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor,
 225 represents Auto Cable IS specifications for 0.5 conductor.
 b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.
 c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.
 d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.


Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/Finolexcables) | [/Finolex.Cables](https://www.instagram.com/Finolex.Cables)



For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 28575639 | Bengaluru: 7022979589 |
 Bhubaneswar: 0674-2971922 / 2971188 | Chennai: 044-28269322 /
 28231514 | Chandigarh: 0172-4064047 | Cochin: 9388889670 /
 Coimbatore: 0422-2330997 | Dharwad: 8362746440 | Goa: 8322782003 /
 2782065 | Gurgaon: 9896763770 | Guwahati: 9884027312 / 8135029423
 | Indore: 7314911723 | Jaipur: 9929111411 | Kolkata: 033-24192494 /
 24192495 | Lucknow: 052-24035031 | Mumbai: 022-22820062 | New
 Delhi: 011-23324748 / 23353160 | Patna: 9934107999 | Pune:
 020-27506200 | Raipur: 7008336581 | Ranchi: 8101353841 |
 Secunderabad: 040-27811161 | Uttarakhand: 9760045003 | Vadodra:
 9879555588 | Vijayawada: 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.
 In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation.
 When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.